according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Product name	:	Klübersynth GEM 4-32 NH
	Article-No.	:	012296
1.2	Relevant identified uses of th	le s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Lubricating oil
	Recommended restrictions on use	:	Restricted to professional users.
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	Klüber Lubrication München Geisenhausenerstr. 7 81379 München Deutschland

81379 Munchen Deutschland Tel: +49 (0) 89 7876 0 Fax: +49 (0) 89 7876 333 info@klueber.com
mcm@klueber.com Material Compliance Management
Egészségügyi Toxikológiai Tájékoztató Szolgálat (ETTSZ): +36-80/201-199(24 h) +36-1/476-6400(24 h)

0049 (0) 897876-700 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.



according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

Additional Labelling

EUH210Safety data sheet available on request.EUH208Contains amines, C12-14-tert-alkyl. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Synthetic hydrocarbon oil ester oil

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
amines, C12-14-tert- alkyl	701-175-2 01-2119456798-18- XXXX	Acute Tox.4; H302 Acute Tox.2; H330 Acute Tox.3; H311 Skin Corr.1B; H314 Eye Dam.1; H318 Skin Sens.1A; H317 STOT SE3; H335 Aquatic Acute1; H400 Aquatic Chronic1; H410	M-Factor: 1/1	>= 0,025 - < 0,1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	medical attention. Keep patient warm and	h air. If signs/symptoms continue, get at rest. or stopped, administer artificial respira-
In case of skin contact	Remove contaminated	clothing. If irritation develops, get med-



according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version 2.5	Revision Date: 07.07.2020		e of last issue: 12.11.2019 e of first issue: 08.07.2016	Print Date: 07.07.2020
			ical attention. In case of contact, immediately flusl	h skin with plenty of water
In ca	se of eye contact	:	Rinse immediately with plenty of wa for at least 10 minutes. If eye irritation persists, consult a sp	
lf swa	allowed	:	Move the victim to fresh air. Do NOT induce vomiting. Rinse mouth with water.	
4.2 Most i	important symptoms a	nd e	effects, both acute and delayed	
Symp	otoms	:	No information available.	
Risks	8	:	None known.	
Treat	tment	:	dical attention and special treatment No information available.	nt needed
Treat	N 5: Firefighting mea	:	No information available.	nt needed
Treat SECTION 5.1 Exting	tment	: sur	No information available.	
Treat SECTIOI 5.1 Exting Suita	tment N 5: Firefighting mea guishing media ble extinguishing media	: sur	No information available. es Use water spray, alcohol-resistant f	
Treat SECTION 5.1 Exting Suita Unsu media	Twent N 5: Firefighting mea guishing media ble extinguishing media hitable extinguishing a al hazards arising from	: sur :	No information available. es Use water spray, alcohol-resistant f bon dioxide. High volume water jet e substance or mixture	
Treat SECTION 5.1 Exting Suita Unsu media	Twent N 5: Firefighting mea guishing media ble extinguishing media hitable extinguishing a al hazards arising from ific hazards during fire-	: sur :	No information available. es Use water spray, alcohol-resistant f bon dioxide. High volume water jet	
Treat SECTION 5.1 Exting Suita Unsu media 5.2 Speci Spec fightin	Twent N 5: Firefighting mea guishing media ble extinguishing media hitable extinguishing a al hazards arising from ific hazards during fire-	: sur :	No information available. es Use water spray, alcohol-resistant for bon dioxide. High volume water jet e substance or mixture Fire may cause evolution of:	
Treat SECTION 5.1 Exting Suita Unsu media 5.2 Speci Spec fightin 5.3 Advic Spec	N 5: Firefighting mea guishing media ble extinguishing media itable extinguishing a al hazards arising from ific hazards during fire- ng	: sur : : :	No information available. es Use water spray, alcohol-resistant for bon dioxide. High volume water jet e substance or mixture Fire may cause evolution of:	oam, dry chemical or car- ned breathing apparatus. Exposure to decomposi-

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions	:	Evacuate personnel to safe areas. Use personal protective equipment.			



according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version 2.5	Revision Date: 07.07.2020	Date of last issue: 12.11.2019 Date of first issue: 08.07.2016	Print Date: 07.07.2020
		Refer to protective measures liste	ed in sections 7 and 8.
6.2 Enviro	onmental precautions		
Envir	onmental precautions	 Try to prevent the material from e courses. Prevent further leakage or spillag Local authorities should be advise cannot be contained. 	e if safe to do so.
6.3 Metho	ods and material for c	ontainment and cleaning up	
Metho	ods for cleaning up	: Contain spillage, and then collect sorbent material, (e.g. sand, earth miculite) and place in container for / national regulations (see section	h, diatomaceous earth, ver- or disposal according to local

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product.
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.
7.2 Conditions for safe storage,	, incl	uding any incompatibilities
Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
7.3 Specific end use(s)		
Specific use(s)	:	Specific instructions for handling, not required.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.



according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
diisotridecyl adipate	Workers	Inhalation	Long-term systemic effects	24 mg/m3
	Workers	Skin contact	Long-term systemic effects	3,4 mg/kg bw/day
amines, C12-14-tert- alkyl	Workers	Inhalation	Long-term systemic effects	12,5 mg/m3
	Workers	Inhalation	Long-term local ef- fects	12,1 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
diisotridecyl adipate	Fresh water	0,00004 mg/l
	Intermittent use/release	1 mg/l
	Marine water	0,000004 mg/l
	Intermittent use/release	1 mg/l
	Sewage treatment plant	48 mg/l
	Fresh water sediment	40 mg/kg dry weight (d.w.)
	Marine sediment	40 mg/kg dry weight (d.w.)
	Soil	1 mg/kg dry weight (d.w.)
amines, C12-14-tert-alkyl	Fresh water	0,001 mg/l
	Marine water	0,0001 mg/l
	Intermittent use/release	0,004 mg/l
	Sewage treatment plant	0,635 mg/l
	Fresh water sediment	2,14 mg/l
	Marine sediment	0,214 mg/l
	Soil	0,428 mg/l
	Oral	4,71 mg/l

8.2 Exposure controls

Engineering measures

none

Personal protective equipment

Eye protection

: Safety glasses with side-shields

Hand protection		
Material	: Nitrile rubber	
Break through time	: > 10 min	
Protective index	: Class 1	

Remarks

: Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.



according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version 2.5	Revision Date: 07.07.2020	Date of last issue: 12.11.2019Print Date:Date of first issue: 08.07.201607.07.2020			
			The selected protective gloves have to s tions of Regulation (EU) 2016/425 and t derived from it.		
Resp	iratory protection	:	Not required; except in case of aerosol f	ormation.	
Filter	type	:	Filter type A-P		
Prote	ctive measures	:	The type of protective equipment must be to the concentration and amount of the of at the specific workplace. Choose body protection in relation to its tration and amount of dangerous substa- cific work-place.	dangerous substance type, to the concen-	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	yellow
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	>= 200 °C Method: ISO 2592, open cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	< 0,001 hPa (20 °C)
Relative vapour density	:	No data available



according to Regulation (EC) No. 1907/2006 - HU



FREUDENBERG

Versio 2.5	n Revision Date: 07.07.2020		of last issue: 12.11.2019 of first issue: 08.07.2016	Print Date: 07.07.2020
D	ensity	:	0,85 g/cm3 (20 °C)	
В	ulk density	:	No data available	
S	olubility(ies) Water solubility	:	insoluble	
	Solubility in other solvents	; ;	No data available	
	artition coefficient: n- ctanol/water	:	No data available	
A	uto-ignition temperature	:	No data available	
D	ecomposition temperature	:	No data available	
Vi	iscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	32 mm2/s (40 °C)	
E	xplosive properties	:	Not explosive	
0	xidizing properties	:	No data available	
9.2 Otl	her information			
S	ublimation point	:	No data available	
0	elf-ignition	:	No data available	

10.1 Reactivity No hazards to be specially men	ntio	ned.	
10.2 Chemical stability Stable under normal conditions			
10.3 Possibility of hazardous reac	tic	ons	
Hazardous reactions	:	No dangerous reaction known under co	nditions of normal use.
10.4 Conditions to avoid			
Conditions to avoid	:	No conditions to be specially mentioned	
10.5 Incompatible materials			
Materials to avoid	:	No materials to be especially mentioned	l.
		7/17	a brand of



according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:			
Acute oral toxicity	:	Remarks: This information is not available.	
Acute inhalation toxicity	:	Remarks: This information is not available.	
Acute dermal toxicity	:	Remarks: This information is not available.	
Components:			
amines, C12-14-tert-alkyl:			
Acute oral toxicity	:	LD50 (Rat): 612 mg/kg Method: OECD Test Guideline 401	
Acute inhalation toxicity	:	LC50 (Rat): 1,19 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 403	
Acute dermal toxicity	:	LD50 (Rat): 251 mg/kg Method: OECD Test Guideline 402	
Skin corrosion/irritation			
Product:			
Remarks	:	This information is not available.	
Components:			
amines, C12-14-tert-alkyl:			
Assessment Result	:	Causes burns. Causes burns.	
Serious eye damage/eye irritation			
Product:			

Remarks :	This information is not available.
-----------	------------------------------------



according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020
Com	ponents:		

amines, C12-14-tert-alkyl:

Species Assessment Method Result	:	Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Irreversible effects on the eye
Result	:	Irreversible effects on the eye

Respiratory or skin sensitisation

Product:

Remarks

: This information is not available.

Components:

amines, C12-14-tert-alkyl:

Species	:	Guinea pig
Assessment	:	The product is a skin sensitiser, sub-category 1A.
Method	:	OECD Test Guideline 406
Result	:	Probability or evidence of high skin sensitisation rate in hu-
		mans

Germ cell mutagenicity

Product:

Genotoxicity in vitro	:	Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

amines, C12-14-tert-alkyl:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative
	Test Type: Ames test Test system: Salmonella typhimurium Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	 Test Type: Chromosome aberration test in vitro Species: Mouse Application Route: Oral Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity- As- sessment	: Animal testing did not show any mutagenic effects.

a brand of

according to Regulation (EC) No. 1907/2006 - HU



Vers 2.5	sion	Revision Date: 07.07.2020		e of last issue: 12.11.2019 e of first issue: 08.07.2016	Print Date: 07.07.2020
	Carcin	ogenicity			
	<u>Produ</u> Remar		:	No data available	
	Repro	ductive toxicity			
	Produ	-			
		on fertility	:	Remarks: No data available	
	Effects ment	on foetal develop-	:	Remarks: No data available	
	Comp	onents:			
		s, C12-14-tert-alkyl: on foetal develop-	:	Species: Rat Method: OECD Test Guideline 414 Result: No effects on fertility and early er ment were detected.	nbryonic develop-
	Reproc sessm	ductive toxicity - As- ent	:	Animal testing did not show any effects of Animal testing did not show any effects of ment.	
	STOT	- single exposure			
	Comp	onents:			
	amine Assess	s, C12-14-tert-alkyl: sment	:	May cause respiratory irritation.	
	STOT	- repeated exposure			
	<u>Comp</u>	onents:			
	amine Assess	s, C12-14-tert-alkyl: sment	:	The substance or mixture is not classified organ toxicant, repeated exposure.	d as specific target
	Repea	ted dose toxicity			
	<u>Produ</u> Remar		:	This information is not available.	
	Comp	onents:			
	amine Specie NOAEI		:	Rat 19 mg/kg	



according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version 2.5	Revision Date: 07.07.2020		e of last issue: 12.11.2019 e of first issue: 08.07.2016	Print Date: 07.07.2020	
	cation Route atmosphere od	:	Inhalation vapour OECD Test Guideline 412		
Spec NOA Appli Meth	EL cation Route	:	Rat 20 mg/kg Skin contact OECD Test Guideline 410		
Prod	Aspiration toxicity <u>Product:</u> This information is not available.				
amin	ponents: es, C12-14-tert-alky spiration toxicity class		n		
Furth	ner information				
<u>Prod</u> Rema		:	Information given is based on d the toxicology of similar product		

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available
Components:		
amines, C12-14-tert-alkyl:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 1,3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203



according to Regulation (EC) No. 1907/2006 - HU



Vers 2.5		Revision Date: 07.07.2020	Dat	e of last issue: 12.11.2019 e of first issue: 08.07.2016	Print Date: 07.07.2020
		y to daphnia and other c invertebrates	r:	EC50 (Daphnia magna (Water flea)): Exposure time: 48 h	2,5 mg/l
	Toxicit plants	y to algae/aquatic	:	EC50 (Selenastrum capricornutum (g Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201	reen algae)): 0,44 mg/l
	M-Fact icity)	tor (Acute aquatic tox-	:	1	
	Toxicit icity)	y to fish (Chronic tox-	:	NOEC: 0,078 mg/l Exposure time: 96 d Species: Oncorhynchus mykiss (rainb Method: OECD Test Guideline 210	oow trout)
	M-Fact toxicity	tor (Chronic aquatic)	:	1	
12.2	Persis	stence and degradab	ility		
	Produce Diadaa			Demostra: No data available	
	-	radability	:	Remarks: No data available	
	Physic ity	o-chemical removabil-		Remarks: No data available	
	Comp	onents:			
	amine	s, C12-14-tert-alkyl:			
	Biodeg	yradability	:	Inoculum: activated sludge Concentration: 4 mg/l Result: Not rapidly biodegradable Biodegradation: 21,8 % Exposure time: 28 d Method: OECD Test Guideline 301D	
12.3	Bioac	cumulative potential			
	Produce Bioacc	<u>ct:</u> umulation	:	Remarks: This mixture contains no su be persistent, bioaccumulating and to This mixture contains no substance co persistent and very bioaccumulating (xic (PBT). onsidered to be very
	Comp	onents:			
		s, C12-14-tert-alkyl: on coefficient: n- l/water	:	log Pow: 2,9 (20 °C)	



according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date: 07.07.2020
2.5	07.07.2020	Date of first issue: 08.07.2016	

12.4 Mobility in soil

<u>Product:</u> Mobility	:	Remarks: No data available
Distribution among environ- mental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher
------------	--

12.6 Other adverse effects

Product:

Additional ecological infor-	:	No information on ecology is available.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product		The product should not be allowed to enter drains, water courses or the soil.
		Waste codes should be assigned by the user based on the application for which the product was used.
Contaminated packaging	:	Packaging that is not properly emptied must be disposed of as the unused product. Dispose of waste product or used containers according to local regulations.
		The following Waste Codes are only suggestions:
Waste Code	:	unused product 13 02 06*, synthetic engine, gear and lubricating oils
		uncleaned packagings 15 01 10, packaging containing residues of or contaminated by hazardous substances



according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

SECTION 14: Transport information

14.1 UN number

ADR		Not regulated as a dangerous good		
IMDG		Not regulated as a dangerous good		
IATA				
	· • • • • • • • • • • • • • • • • • • •	Not regulated as a dangerous good		
14.2 UN proper	shipping name			
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Carg	go) :	Not regulated as a dangerous good		
IATA (Pas	senger) :	Not regulated as a dangerous good		
14.5 Environmental hazards				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Pass	senger) :	Not regulated as a dangerous good		
IATA (Carg	go) :	Not regulated as a dangerous good		
14.6 Special precautions for user Not applicable				
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code				
Remarks	:	Not applicable for product as supplied.		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH),



according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version 2.5	Revision Date: 07.07.2020	Date of last issue: 12.11.2 Date of first issue: 08.07.2		Print Date: 07.07.2020
REACH - List of substances subject to authorisation (Annex XIV)				Article 57). Not applicable
Regulation (EC) No 1005/2009 on substances that de- : Not applicable plete the ozone layer				Not applicable
0	ulation (EU) 2019/102 (recast)	1 on persistent organic pollu-	:	Not applicable
men		012 of the European Parlia- cerning the export and import	:	Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)			:	Not applicable
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable				
Vola	Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0,14 %			

Other regulations:

2000 XXV. Law on chemical safety 44/2000. (XII 27) Ministry of health dangerous substances and preparations dangerous for certain procedures and arrangements for activities

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

H302 :	Harmful if swallowed.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H335 :	May cause respiratory irritation.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations



according to Regulation (EC) No. 1907/2006 - HU



Klübersynth GEM 4-32 NH

Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.



according to Regulation (EC) No. 1907/2006 - HU



Version	Revision Date:	Date of last issue: 12.11.2019	Print Date:
2.5	07.07.2020	Date of first issue: 08.07.2016	07.07.2020

